



**GOVERNMENT OF JAMMU AND KASHMIR**  
**HOUSING & URBAN DEVELOPMENT DEPARTMENT**  
**Civil Secretariat Jammu/Srinagar**

\*\*\*\*\*O\*\*\*\*\*

**EXPRESSION OF INTEREST (EOI) FOR CONSTRUCTION, COMMISSIONING  
OF INDIVIDUAL HOUSE HOLD LATRINES (IHHL) IN URBAN AREAS OF J&K**

Expression of Interest is invited from reputed NGOs/Trust/Foundations/Contractors to construct Individual House Hold Latrines (IHHL) for families living in Urban areas of the State and either having insanitary toilets or no toilet facility within their premises. The NGOs/Trust/Foundations/Contractors with adequate capacity to construct Individual household latrine (IHHL) should submit their application in the relevant prescribed format. Technical specifications and the application format is shown in the **Annexure A** and **Annexure B**. Detailed Estimate shall be available at the office of Mission Director Swachh Bharat Mission from 22-02-2016 to 04-03-2016 on working days and will also be available on website:// [www.Jkhudd.gov.in](http://www.Jkhudd.gov.in)

The application containing:-

Financial proposal in the prescribed formats sealed in envelopes, completed in all respects, shall be submitted to the department clearly super scribing on the envelope “ APPLICATPION/ PROPOSAL FOR CONSTRUCTION OF INDIVIDUAL HOUSE HOLD LATRINES(IHHL)IN URBAN AREAS OF J&K” by Hand/ Post/ Courier on or before 7<sup>th</sup> March upto 3.00 PM in Civil Secretariat Jammu. The applicant must enclose draft for earnest money of Rs. 5000/= (Five thousand only).The EMD shall be in the form of Demand Draft from any of the nationalized bank in favour of the “ Mission Director Swachh Bharat Mission “Housing and Urban Development Department. Submission of offer through Fax, Email or other electronic means will not be accepted. It is the responsibility of interested parties alone to ensure that the EOI is delivered at the

prescribed address by the stated deadline. The department shall not be held responsible for any delay in delivery or loss of documents during transit.

**The minimum requirements expected for the toilets are as under:**

- i) Minimum required IHHL dimensions should be as per the specifications mentioned in Annexure B.
- ii) Superstructure should be permanent in nature – made from bricks/ concrete precast panels/ concrete blocks/ aerated concrete or any other material that is used for external construction and provides adequate privacy, strength and protection.
- iii) Agencies should adopt standard technology like twin pit latrines or any other proven effective human excreta management technology to ensure the human excreta management effectively.
- v) Life of the superstructure and sub structure (permanent in nature) should be mentioned by the agency.

**Conditions:**

- a) NGOs/Trust/Foundations/Contractors shall carry out all the required work for construction/commissioning of Individual House Hold Latrines (IHHL).
- b) The agency shall construct/ commission the IHHL within the stipulated time frame and in case of any delay penalty as shall be decided by Mission Director Swachh Bharat Mission shall be imposed.
- c) The agency shall quote their cost for construction/commissioning of Individual House Hold Latrines (IHHL) for Urban areas of the State and the agency with the lowest quoted cost will be engaged subject to maximum 150 IHHL in a single order. If any NGOs/Trust/Foundations/Contractors show willingness to construct IHHLs on the terms and conditions of lowest bidders, the same shall also be considered for the construction of the same subject to maximum of 150 IHHL in a single order. The orders shall be repeated subject to the timely completion of allotted work.

- d) The payment to the construction agency shall be made in staggered manner only after the completion certificate duly signed by the Executive Engineer/ Executive Officer and the concerned beneficiary is furnished by NGO/Firm/Contractor or any other agency engaged for the purpose.
- e) Any addition/modification if any to be made in type design in view of site condition shall be subject to the approval of Executive Engineer concerned.
- f) The time period for completion of 150 IHHT shall be 45 days only.

### **Eligibility Criteria**

- a) The applicant shall be society/ trust/foundation/firm/NGO/Contractor and shall attach the certificate of Registration.
- b) The applicant should have previous experience in construction and should attach certificate of experience of any civil construction work, particularly experience of construction of IHHT/ Community toilets duly signed by an officer not less than the rank of Executive Engineer or Executive officer of Municipal committee.
- c) The applicant must have necessary financial resources for the construction of IHHTs.

Sd/-  
**Mission Director**  
**Swachh Bharat Mission (Urban)**  
**Civil Secretariat Jammu.**

No. HUD/PLAN/264/2015

Dated: 20.02.2016

In case of any queries and clarification, please contact:

Civil Secretariat, J&K Jammu/ Srinagar

TeleFax: 0191-2569126

Email:jdp.hud@gmail.com

(Annexure A)

**Application format for the construction/ commissioning of IHHLs in the urban areas of J&K**

<b>1. Name of the Firm</b>	
<b>2. Contact details</b>	
<b>3. Contact Person</b>	
<b>4. Address of Correspondence</b>	
<b>5. Phone No.</b>	
<b>6. Fax No.</b>	
<b>7. Email</b>	
<b>8. Legal status of Firm/Society</b>	
<b>9. Pan Number</b>	
<b>10. Amount Quoted (in Rs.)</b>	

(Duly signed by the Applicant)

## (Annexure B)

### Specifications

#### Twin-Pit Latrine

- (a) Size options for Toilet/ Super Structure
- 750 mm x 900 mm x 1900 mm or
  - 800 mm x 1000 mm x 1900 mm
- (b) Material  
Brick work/FRP/Pre-cast Cylindrical unit
- (c) Size of Pits

	<b>5 users</b>	
	<b>Dia</b>	<b>Depth</b>
<b>Pit size</b>	900	1000

#### Septic Tank

- (a) Size options for toilet/ super structure
- 750 mm x 900 mm x 1900 mm  
800 mm x 1000 mm x 1900 mm
- (b) Material- Brick work/ FRP/ Precast Cylindrical Unit
- (c) Soak pit size- The seepage pit may be of any suitable shape with the least cross-sectional dimension of 0.90 m and not less than 1m in depth below the invert level of the inlet pipe. The construction shall be of perforated brick work.
- (d) Recommended sizes of septic tank for households:

<b>No. of Users</b>	<b>Length (m)</b>	<b>Breadth(m)</b>
5	1.5	0.75

END